

CFC-FREE ELECTRICAL CONTACT CLEANER

DESCRIPTION

PS TERMINAL™ is an NSF-registered K-2 electrical contact cleaner formulated with a blend of HCFC and HFC solvents and propellants to safely and quickly clean electrical and electronic components and equipment, while providing reduced damage to the environment and ozone layer as compared to CFC's and other HCFC-based products. **PS TERMINAL** will penetrate and remove dirt, grease and organic contaminants and then evaporate leaving a residue-free surface. The blend of HCFC's and HFC's provides a Kauri-Butanol (KB) value low enough to be safe in nearly every electrical and circuit board application while still providing excellent cleaning and oxidation removal properties.

PS TERMINAL is nonflammable, dries, quickly and has a high 35,000 volt dielectric strength. **PS TERMINAL** is safe on all metals and most plastics*. For optimum results, spray a minimum amount to clean the part. Excess spray is wasteful and could result in plastic compatibility problems where none would typically occur.

- 95% Free of Federal V.O.C.
- Safe on plastics*
- Nonflammable
- Nonstaining
- Residue Free
- Odorless
- Easy to use
- May be used while equipment is operating
- >35kv Dielectric Strength
- NSF Registration #136910

APPLICATIONS

- Electrical Contacts
- Metal Surfaces
- Computers*
- Electronic Parts
- Calculators
- Electronic Motors
- Typewriters
- TV Tuners
- Refrigeration Units
- Portable Radios

AUTOMOTIVE • ELECTRICAL • INDUSTRIAL
MARINE • RESIDENTIAL

* Although much safer, this product may etch, discolor or crack the following plastics; ABS, Polystyrene, Pebax 2533 Resin, and Polymethyl Methacry (Acrylic Resin). Test in an inconspicuous area before using.

PRODUCT CHARACTERISTICS

Form	Solvent Base Aerosol
Odor	Ethereal
Color	Clear
Detergency	None
Wetting Ability	Dampens
Storage Stability	2 Years
Cold Stability	≤0°F
Phosphates	None
Flash Point	Nonflammable
Flame Extension	None
Water Solubility	0%
Specific Gravity	1.2
% Volatile by Volume	100%
pH	None
Propellant	HFC (V.O.C. Exempt)
Evaporation Rate	Rapid
Biodegradability	No
VOC	86 g/L

NSF K-2 Registered (meets USDA 1998 K-2 Guidelines) for use in Federally Inspected Meat and Poultry Plants.

PACKAGING

Code No.	Container Size	Container
60242	14 oz.	Aerosol

LIMITED WARRANTY

Jet-Lube, Inc. makes the Limited Express Warranty that at the date of delivery this product shall be free from defects in Jet-Lube, Inc. materials and workmanship.

This Limited Express Warranty is expressly in lieu of any other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, and of any other obligation on the part of Jet-Lube, Inc.

The sole remedy for breach of the Limited Express Warranty shall be the refund of the purchase price. All other liability is negated and disclaimed, and Jet-Lube, Inc. shall not be liable for incidental or consequential damages.

AUTHORISED DISTRIBUTOR
JET SEALANTS & LUBRICANTS

+91-22-24130003
info@jetsealants.in
www.jetsealants.in